




**SQUARE LINE®:
DENK ANDERS,
DENK VIERKANT!**



Wand - vlak



MOD 4112


304

INDOOR

13.4112.000.12	QS-5	348	QS-54	349	2
----------------	------	-----	-------	-----	---



Wand - buis



MOD 4112


304

INDOOR

13.4112.042.12	∅	42,4	QS-5	348	QS-54	349	2
----------------	---	------	------	-----	-------	-----	---



Wand - vlak



MOD 4111


304

INDOOR

13.4111.000.12	QS-1	348	QS-54	349	2
----------------	------	-----	-------	-----	---



Wand - buis




MOD 4111

304

INDOOR

13.4111.042.12	∅	42,4	QS-1	348	QS-54	349	2
----------------	---	------	------	-----	-------	-----	---



MOD 4101

316

OUTDOOR

14.4101.000.12	QS-2	348	QS-70	349	2
----------------	------	-----	-------	-----	---



MOD 4101

316





OUTDOOR

14.4101.042.12	∅	42,4	QS-2	348	QS-70	349	2
----------------	---	------	------	-----	-------	-----	---




Q-INFO

MOD 4111 / 4101



Wand - vlak



MOD 4145


304

INDOOR

13.4145.000.12	QS-1	348 / QS-12	349	2
----------------	------	-------------	-----	---



Wand - buis



MOD 4145


304

INDOOR

13.4145.042.12	Ø	42,4	QS-1	348 / QS-10	2
13.4145.048.12	Ø	48,3	QS-1	348 / QS-10	2



Vlak - vlak



MOD 4133


304

INDOOR

13.4133.000.12	QS-21	349 / QS-10	348	2
----------------	-------	-------------	-----	---



Vlak - buis



MOD 4133


304

INDOOR

13.4133.042.12	Ø	42,4	QS-21	349 / QS-10	348	2
13.4133.048.12	Ø	48,3	QS-21	349 / QS-10	348	2



Glas - vlak



MOD 4155

304


INDOOR

13.4155.000.12	QS-12	349		2
----------------	-------	-----	--	---




Q-INFO


MOD 4155




Q-INFO



Q-INFO



Buis - vlak




MOD 4710 - 40 x 40 mm

304		
INDOOR		
13.4710.000.12	QS-12 349	2
316		
OUTDOOR		
14.4710.000.12	QS-13 349	2



Buis - buis




MOD 4710 - 40 x 40 mm

304			
INDOOR			
13.4710.042.12	42,4	QS-10 348	2
13.4710.048.12	48,3	QS-10 348	2
316			
OUTDOOR			
14.4710.042.12	42,4	QS-11 348	2
14.4710.048.12	48,3	QS-11 348	2



Buis - vlak




MOD 4710 - 40 x 40 mm

304		
INDOOR		
13.4710.800.12	QS-12 349	2
316		
OUTDOOR		
14.4710.800.12	QS-13 349	2



Buis - buis




MOD 4710 - 40 x 40 mm

304			
INDOOR			
13.4710.842.12	42,4	QS-10 348	2
316			
OUTDOOR			
14.4710.842.12	42,4	QS-11 348	2




Q-INFO




Q-INFO

MOD 4710.8xx




Q-INFO

MOD 4710.80x




Q-INFO

MOD 4710.84x



Buis - vlak




MOD 4718 - 40 x 40 mm

304		
INDOOR		
13.4718.000.12	QS-12 349	2
316		
OUTDOOR		
14.4718.000.12	QS-13 349	2



Buis - buis




MOD 4718 - 40 x 40 mm

304			
INDOOR			
13.4718.042.12	∅ 42,4	QS-10 348	2
13.4718.048.12	∅ 48,3	QS-10 348	2
316			
OUTDOOR			
14.4718.042.12	∅ 42,4	QS-11 348	2
14.4718.048.12	∅ 48,3	QS-11 348	2



Buis - buis




MOD 4736 - 40 x 40 mm

304	
INDOOR	
13.4736.040.12	2
316	
OUTDOOR	
14.4736.040.12	2



Q-INFO


MOD 4718



Handrailingen

GESLEPEN

SQUARE LINE® - Handrailingsadapters



MOD 4727

304

INDOOR

13.4727.000.12



QS-26 349




2



Handrailingen

GESLEPEN

SQUARE LINE® - Handrailingsonderdelen



MOD 4811

304

INDOOR


13.4811.068.12



QS-48 349



2



MOD 4812

304

INDOOR

13.4812.068.12





QS-48 349



2



Bijbehorende producten 1800, 1801 en 1802 vindt u op pagina's 214 en 296.



MOD 4733 - EASY HIT®

304

INDOOR


13.4733.040.12



2




Q-INFO



Q-INFO

MOD 4811 / 4812 / 4733



Q-INFO

MOD 4727





Q-21

Q-glue

50 ml



19.1331.000.00




**MOD 4913****304**



INDOOR	□		
13.4913.040.12	40 x 40 x 2	Q5-59  354	1


316

OUTDOOR	□		
14.4913.040.12	40 x 40 x 2	Q5-58  354	1

**MOD 4901****304**

INDOOR	□	
13.4901.040.12	40 x 40 x 2	1

**MOD 4511****304**


INDOOR	□	H	
13.4511.040.12	108	25	2

316

OUTDOOR	□	H	
14.4511.040.12	108	25	2

MOD 4512**304**


INDOOR	□	H	
13.4512.040.12	93	22	2

**MOD 4546****304**


INDOOR	□	H	
13.4546.040.12	40 x 40	100	1



Q-INFO MOD 4913




Q-INFO MOD 4546





**WANNEER
SCHUIN
RECHT
MOET ZIJN.**

SQUARE LINE® - Bodemflenzen voor lijmverbinding




MOD 4943

304				
INDOOR				
13.4943.040.12	40 x 40	QS-63	353	1
316				
OUTDOOR				
14.4943.040.12	40 x 40	QS-62	353	1



International Design Model Protection




MOD 4942

304				
INDOOR				
13.4942.040.00	40 x 40	QS-59	354	2
316				
OUTDOOR				
14.4942.040.00	40 x 40	QS-58	354	2




International Design Model Protection

SQUARE LINE® - Balustersteunen




MOD 4555

304				
INDOOR				
13.4555.040.12	40 x 40	QS-33	352	1
316				
OUTDOOR				
14.4555.040.12	40 x 40	QS-32	352	1



MOD 4551

304				
INDOOR				
13.4551.040.12	40 x 40	QS-33	352	1
316				
OUTDOOR				
14.4551.040.12	40 x 40	QS-32	352	1




MOD 3507

304				
INDOOR				
13.3507.040.12	40 x 40			2
316				
OUTDOOR				
14.3507.040.12	40 x 40			2




Q-INFO MOD 4942 / 4901




Q-21
Q-gelue, 50 ml
19.1331.000.00

Q-INFO MOD 4943






**KLAAR VOOR EEN
KRACHTIG DESIGN
STATEMENT.**

**MOD 4558****304**


INDOOR				
13.4558.040.12	40 x 40	QS-33	352	1

316

OUTDOOR				
14.4558.040.12	40 x 40	QS-32	352	1

**MOD 4556****316**



OUTDOOR				
14.4556.040.12	40 x 40	QS-73	353 / QS-552	349

**MOD 4550****304**

INDOOR				
13.4550.040.12	40 x 40	QS-65	352	1

316

OUTDOOR				
14.4550.040.12	40 x 40	QS-64	352	1

**Q-INFO****MOD 4556****Q-INFO****MOD 4558**




ZO KOMT DESIGN
VOLLEDIG TOT Z'N RECHT.

Balusters

GESLEPEN

SQUARE LINE® - Balustersteunen





MOD 0550

304		
INDOOR	□	☐
13.0550.440.12	40 x 40	2
316		
OUTDOOR	□	☐
14.0550.440.12	40 x 40	2



Q-INFO







MOD 4900 / 4925

304

INDOOR	□	
13.4925.040.12	40 x 40	L = 2500 mm
13.4900.040.12	40 x 40	L = 5000 mm

316

OUTDOOR	□	
14.4925.040.12	40 x 40	L = 2500 mm
14.4900.040.12	40 x 40	L = 5000 mm



MOD 4790

304

INDOOR	□	
13.4790.040.12	40 x 40	2

316

OUTDOOR	□	
14.4790.040.12	40 x 40	2



MOD 5792 - EASY HIT®

316



OUTDOOR	□	
14.5792.040.00	40 x 40	2




International Design Model Protection

Q-INFO

MOD 5792



Q-21
Q-glue
50 ml
19.1331.000.00



Q-INFO

MOD 4900 / 4925

Berekeningsbasis voor buizen

calculated by


	□(mm)	A (cm ²)	I _x =I _y (cm ⁴)	W _x =W _y (cm ³)	M (kg/m)	R _{p0,2} (kN/cm ²)	R _m (kN/cm ²)
13.4900.040.12 / 13.4925.040.12	40 x 40	3,04	7,30	1,83	2,38	23	54
14.4900.040.12 / 14.4925.040.12	40 x 40	3,04	7,30	1,83	2,38	24	53

A = oppervlakte dwarsdoorsnede W_x / W_y = weerstandsmoment R_{p0,2} = toelaatbare spanning
I_x / I_y = oppervlaktetraagheidsmoment M = massa R_m = minimale trekvastheid

Handrailingen


GESLEPEN

SQUARE LINE® - Verbinders



MOD 4301

304		
INDOOR	□	
13.4301.040.12	40 x 40	2
316		
OUTDOOR	□	
14.4301.040.12	40 x 40	2



MOD 4304


304		
INDOOR	□	
13.4304.040.12	40 x 40	2
316		
OUTDOOR	□	
14.4304.040.12	40 x 40	2



Handrailingen


GESLEPEN

SQUARE LINE® - Verbinders, flexibel




MOD 4312

304		
INDOOR	□	
13.4312.040.12	40 x 40	2
316		
OUTDOOR	□	
14.4312.040.12	40 x 40	2



MOD 4317

304		
INDOOR	□	
13.4317.040.12	40 x 40	2



MOD 4318

304		
INDOOR	□	
13.4318.040.12	40 x 40	2




Q-INFO

MOD 4317



Q-21
Q-glue
50 ml
19.1331.000.00

90°




Q-INFO


MOD 4318



Q-21
Q-glue
50 ml
19.1331.000.00

90°





MOD 4505

304

INDOOR

13.4505.040.12	QS-5 348	2
----------------	-----------	---

316

OUTDOOR

14.4505.040.12	QS-6 348	2
----------------	-----------	---



MOD 4732

304

INDOOR

13.4732.040.12		2
----------------	--	---

316

OUTDOOR

14.4732.040.12		2
----------------	--	---



MOD 5728 - EASY HIT®


316

OUTDOOR

14.5728.040.12	40 x 40	2
----------------	---------	---



Q-INFO



Q-INFO




Q-23
Q-cleaner
300 ml
19.0601.000.00

Q-INFO




Q-22
Q-ultra-clean
500 ml
19.0610.000.00



MOD 4925 / 4900

304		
INDOOR	□	▣
13.4925.015.12	15 x 5	L = 2500 mm
13.4900.015.12	15 x 5	L = 5000 mm
316		
OUTDOOR	□	▣
14.4925.015.12	15 x 5	L = 2500 mm
14.4900.015.12	15 x 5	L = 5000 mm




MOD 4820

Zamak	RVS look	▣
OUTDOOR	⚙	▣
10.4820.000.20	QS-20 349	4



International Design Model Protection




MOD 4821

Zamak	RVS look	▣
OUTDOOR	⚙	▣
10.4821.000.20	QS-20 349	4



International Design Model Protection




MOD 4822

Zamak	RVS look	▣
OUTDOOR	⚙	▣
10.4822.000.20	QS-20 349	4



International Design Model Protection



MOD 4823

Zamak	RVS look	▣
OUTDOOR	⚙	▣
10.4823.000.20	QS-20 349	4




International Design Model Protection

Heeft u speciale wensen als het gaat om voorbereide producten? Gebruik dan ons bestelformulier op pagina 366 - 403.

10.xxxx.xxx.20 = outdoor

Q-INFO



Q-INFO

MOD 4900 / 4925

Berekeningsbasis voor staven

calculated by ONDRA

	□ (mm)	A (cm ²)	I _x (cm ⁴)	I _y (cm ⁴)	W _x (cm ³)	W _y (cm ³)	M (kg/m)	R _{p0,2} (kN/cm ²)	R _m (kN/cm ²)
13.49xx.015.12	15 x 5	0,75	0,02	0,14	0,06	0,19	0,60	23	54
14.49xx.015.12	15 x 5	0,75	0,02	0,14	0,06	0,19	0,60	24	53

A = oppervlakte dwarsdoorsnede
 I_x / I_y = oppervlakte traagheidsmoment
 W_x / W_y = weerstandsmoment
 M = massa
 R_{p0,2} = toelaatbare spanning
 R_m = minimale trekvastheid




**COMBINEER DESIGN
EN FUNCTIONALITEIT.**





Wand - buis



MOD 4134 - 40 x 10 mm

304

INDOOR

13.4134.041.12	40 x 10 x 1,5	QS-35 / QS-3	354 / 348	2
----------------	---------------	--------------	-----------	---

316


OUTDOOR

14.4134.041.12	40 x 10 x 1,5	QS-34 / QS-4	354 / 348	2
----------------	---------------	--------------	-----------	---



International Design Model Protection

Q-TUBE



MOD 4900 / 4925 - 40 x 10 mm

304

INDOOR

13.4925.041.12	40 x 10 x 1,5	L = 2500 mm
13.4900.041.12	40 x 10 x 1,5	L = 5000 mm

316





OUTDOOR

14.4925.041.12	40 x 10 x 1,5	L = 2500 mm
14.4900.041.12	40 x 10 x 1,5	L = 5000 mm



Q-INFO

MOD 4134 / 4900 / 4925



Q-INFO

MOD 4900 / 4925


Berekeningsbasis voor buizen

calculated by ONDRA

	□ (mm)	A (cm ²)	I _x (cm ⁴)	I _y (cm ⁴)	W _x (cm ³)	W _y (cm ³)	M (kg/m)	R _{p0,2} (kN/cm ²)	R _m (kN/cm ²)
13.4900.041.12 / 13.4925.041.12	40 x 10	1,38	0,22	2,28	0,44	1,14	2,4	23	54
14.4900.041.12 / 14.4925.041.12	40 x 10	1,38	0,22	2,28	0,44	1,14	2,4	24	53


A = oppervlakte dwarsdoorsnede W_x / W_y = weerstandsmoment R_{p0,2} = toelaatbare spanning
 I_x / I_y = oppervlaktetraagheidsmoment M = massa R_m = minimale trekvastheid

SQUARE LINE® - 40 x 10 - Verbinders



MOD 4301

304		
INDOOR	<input type="checkbox"/>	
13.4301.041.12	40 x 10 x 1,5	2
316		
OUTDOOR	<input type="checkbox"/>	
14.4301.041.12	40 x 10 x 1,5	2




MOD 4790

304		
INDOOR	<input type="checkbox"/>	
13.4790.041.12	40 x 10 x 1,5	2
316		
OUTDOOR	<input type="checkbox"/>	
14.4790.041.12	40 x 10 x 1,5	2



SQUARE LINE® - 40 x 10 - Eindstukken



MOD 4732

304		
INDOOR	<input type="checkbox"/>	
13.4732.041.12	40 x 10 x 1,5	2
316		
OUTDOOR	<input type="checkbox"/>	
14.4732.041.12	40 x 10 x 1,5	2



Q-INFO



Q-23

Q-cleaner

300 ml

19.0601.000.00

Q-INFO



Q-22

Q-ultra-clean

500 ml

19.0610.000.00